

# PARAFILM® Nursery Grafting and Budding Tape

Description  
 Product Code: JX902, JX903



## General Description

Flexible film comprised of a proprietary blend of waxes and polyolefins.

## Features

Parafilm® grafting and budding tape is waterproof, flexible, stretchable and self-adhering. It allows gases (oxygen, carbon dioxide, etc.) to pass through, yet offers an excellent moisture barrier. The combination is perfect for grafting which requires a barrier to keep moisture in while allowing oxygen and carbon dioxide to pass through.

## Technical Data

Properties	Values	Units	Test Method
Thickness	127	µm	ASTM D645
Elongation at Break	NA	%	ASTM D882
Water Vapor Transmission Rate	NA	g/(m <sup>2</sup> · d) @ 38 °C; 90% RH	ASTM F1249
Oxygen Transmission Rate	NA	cm <sup>3</sup> /(m <sup>2</sup> · d) @ 23 °C; 0% RH	ASTM D3985

## Storage Conditions

- Avoid extremes of heat and cold. Temperatures of 40 °F to 70 °F (4°C to 21 °C) and relative humidity of 35 % to 55 % are desirable.
- Store products in a cool, dry, clean environment; store several inches off the floor.
- Protect products from direct sunlight, heat, moisture, and keep in original container until ready for use.

## Shelf Life

- Under the storage conditions stated above, we expect Parafilm® grafting and budding tape to have an indefinite shelf life.

## Tariff Classification

- This product is classified for export under Harmonized Tariff Schedule number 3404.90

## Disclaimer

Parafilm® is a registered trademark of Bemis Company, Inc. Bemis is an Amcor plc company. The above figures are indicative only and not to be considered specifications for the subject material. Please contact your Amcor representative for further information regarding the material specification. No guarantee, warranty, or responsibility on the part of Amcor is implied. The customer is responsible for determining whether Amcor products are fit for a particular purpose, as well as ensuring any proprietary rights, legislation, and existing laws are observed.

Rev Date: 08-2019